

LINXYS



G051

PURE ELECTRIC VAN
4-SEAT



Compact, lightweight, and fully equipped

- The compact body allows you to move unobstructed through all kinds of streets. Ultra-compact 4.4m turning radius.
- 220km range and fast charging, it eliminates all your concerns about transportation.
- Max Gradient 27%, IP67 Waterproof: Conquer Challenging Terrains.



Compact body, massive capacity


- 4-passenger seating with fold-flat 2nd-row Magic Seats for flexible cargo space.
- With a 2.5m³ super-large space (Fold the second-row seats flat), it easily accommodates more cargo, making your trips more efficient



30 kW Peak Power Motor: Quick Acceleration, Powerful Performance.



Powered by CATL batteries: delivering high quality, safety, and stability.



Built-in multiple safety protection mechanisms with real-time monitoring of temperature, voltage, and current



COZY COCKPIT

Compact and intelligent cockpit design for a more user-friendly experience. Pure electric driving with simple and enjoyable operation.



Fold the second-row seats flat



Versatile & Comfortable Seats



Cargo area LED lighting




USB power supply



The second-row seats



Headliner storage compartment



Seat heating



Central control system



Electronic gear shifter



Comprehensive Safety Design

- Certified by UN ECE and Japan PHP, compliant with UN collision safety regulations, ensuring safety and security.
- AEB: autonomous emergency braking, minimizing collision accidents.

System reduces impact and enhances safety by automatically engaging brakes in potential front or rear collisions.



Utilize the camera-based Lane Departure Warning to receive alerts when your vehicle unintentionally drifts out of the lane.




Obstacle detection sensors emit audible alerts with variable intervals, indicating the distance between the vehicle and obstacles. To prevent driver misoperation, firm pressing of the accelerator pedal is required to start the vehicle.




When parking, an audible warning will sound if the distance from the vehicle in front exceeds 4 meters after it starts moving.



During hill start, the vehicle prevents backward movement for approximately 5 seconds upon reapplication of the pedal, even if the brake is released.



When the driver exits the vehicle in "D" or "R" gear, the system automatically switches to "P" gear to prevent unintended movement. Developed by ASF, this system prevents self-moving accidents.



Model		G051
Dimensions	Overall dim (mm)	3395x1475x1950
	Container volume (m ³)	2.5(max)
	Wheelbase (mm)	2430
Capability	GVW (kg)	1668
	carrying capacity (kg)	233
Power parameter	Driving range (km)	220 (JC08)
	Maximum speed (km/h)	100
Battery	Battery type	LFP (CATL)
	Battery energy (kWh)	29.67
	Fast charging time	30Min (SOC30%-80%,25°C)
	Battery heating	●
Driving Motor	Max. power (kW)	30
	Max. torque (N·m)	120
Passability	Front/rear overhang (mm)	1300/1290
	Minimum ground clearance (mm)	130
	Maximum gradability (%)	27
	Minimum turing radius (m)	4.4m
Chassis and braking system	Tire specifications	145R12 LT 8PR
	Front suspension	Macpherson independent suspension
	Rear suspension	Multi-link non-independent suspension
	Drive form	Rear-wheel drive
	Parking brake control assembly	Foot parking brake
	Brake system	Front disc and rear drum hydraulic brakes
Safety Configuration	Main driver airbag	●
	Passenger airbag	●
	Seat Belt Reminder	●
	ABS+EBD	●
	ESC	●
	Lane departure warning	●
	AEB	●
	Forward vehicle start noticing	●
	Self walking prevention function	●
	Automatic P-shift function	●
other	Anti sliding slope function	●
	Rudder	RHD
	Seating capacity	2+2
	Driver's seat heating	●
	AC/PTC	●
	Large center control screen	●
	Backup camera/Car backing radar	●
	Power adjustable left and right outside mirrors	●
	Basic hand tool	●
	TPMS	○
Charging standard		CHAdeMO (AC+DC) /CCS2 (AC+DC)

Note: Standard ● Optional ○




Sky silver: ●

Candy white: ○



Sapphire blue: ●

Onyx black: ○



LINXYS

G051 EV VAN (4-SEAT) MAXIMIZE YOUR BUSINESS

